



County Hall  
Cardiff,  
CF10 4UW  
Tel: (029) 2087 2087

Neuadd y Sir  
Caerdydd,  
CF10 4UW  
Ffôn: (029) 2087 2088

My Ref: CO/89403 1435196  
Your Ref:

Date 1st March 2019

Dear Resident / Owner

**Re: CARRIAGEWAY SURFACE TREATMENT – Kings Road, Radyr**

I am pleased to inform you that your road is included in the Council's Carriageway Surface Treatment Programme.

The enclosed plan shows the section of road that will be treated. It is intended that the work will be undertaken between 11/03/19 and 18/03/19 and take approximately 2 days to complete. **Advance Warning signs** will be placed at either end of the road informing residents of the above dates.

**No Parking signs** will then be erected approximately 3 days prior to works commencing on lampposts/trees along the road informing residents of the **actual start date**.

As this process is weather dependant, dates can change, **we would therefore encourage residents to monitor the No Parking signs in case of any changes to the programme of works.**

Regular updates will be provided on the Council's website so you can check to see the latest schedule. To access this page, please visit [www.cardiff.gov.uk/highway-improvements](http://www.cardiff.gov.uk/highway-improvements)

This road is being treated with micro asphalt to improve its condition and durability. I have also enclosed an advice note that explains the chosen treatment.

It is intended to keep any disruption to a minimum, but to assist with the surface treatment process, **it is necessary for all cars and vehicles to be parked off the road while the works are ongoing**. The Council's Contractor will relocate any vehicles still parked along the street when the works commence. For further information on this matter please ring (029) 2087 2087.

Yours sincerely

**Gareth Jones**  
City Operations

Enc.



County Hall  
Cardiff,  
CF10 4UW  
Tel: (029) 2087 2087

Neuadd y Sir  
Caerdydd,  
CF10 4UW  
Ffôn: (029) 2087 2088

Fy Nghyf: CO/89403 1435196  
Eich Cyf:

Dyddiad: Mawrth gyntaf 2019

Annwyl Breswyllydd / Perchennog

### **Parthed: TRIN ARWYNEB Y FFORDD GERBYDAU - Kings Road, Radyr**

Rwy'n falch roi gwybod i chi fod eich ffordd chi wedi'i chynnwys yn Rhaglen Trin Arwynebau Ffyrdd y Cyngor.

Mae'r cynllun amgaedig yn dangos y darn o'r ffordd a gaiff ei drin. Bwriedir gwneud y gwaith hwn rhwng 11/03/19 a 18/03/19 a'i gwblhau cyn 2 diwrnod. Caiff **arwyddion gwybodaeth** eu codi ar naill ben y ffordd â'r llall ar y ffordd er mwyn rhoi gwybod i'r preswylwyr am y dyddiadau uchod.

Yna caiff **arwyddion Dim Parcio** eu codi tua 3 diwrnod cyn dyddiad dechrau'r gwaith ar bolion lamp/coed ar hyd y ffordd yn cadarnhau'r **dyddiad dechrau**.

Gan fod y broses hon yn dibynnu ar y tywydd, gall y dyddiadau newid, **felly byddem yn annog preswylwyr i gadw llygaid ar y rhybuddion Dim Parcio rhag ofn y bydd unrhyw newidiadau i'r rhaglen waith**.

Bydd diweddariadau ar gael ar wefan y Cyngor, ac felly bydd modd i chi weld yr amserlen ddiweddaraf. Ewch i [www.caerdydd.gov.uk/Gwelliannau-priffyrdd](http://www.caerdydd.gov.uk/Gwelliannau-priffyrdd).


Mae'r ffordd yn cael ei thrin â micro asffalt i wella ei chyflwr a'i gwydnwch. Rwyf hefyd wedi amgáu nodyn sy'n esbonio'r driniaeth o ddewis.

Er mai'r nod yw tarfu cyn lleied â phosibl arnoch, **i gynorthwyo â'r gwaith hwn, bydd angen i'r holl geir a cherbydau gael eu parcio oddi ar y ffordd tra bod y gwaith yn mynd rhagddo**. Bydd Contractwr y Cyngor yn symud unrhyw gerbydau sydd dal wedi'u parcio ar y stryd pan fydd y gwaith yn dechrau. I gael rhagor o wybodaeth am y mater hwn ffoniwch (029) 2087 2088.

Yn gywir

**Gareth Jones**  
**Gweithrediadau'r Ddinas**

Amg.



CHIEF EXECUTIVE  
Paul Orders  
County Hall  
Atlantic Wharf  
Cardiff CF10 4UW  
tel 029 20872000

**CARDIFF COUNTY COUNCIL**  
**CYNGOR SIR CAERDYDD**



© Crown copyright and database rights (2011)  
Ordnance Survey 100023376  
This copy is produced specifically to supply County  
Council information NO further copies may be made.

Ward: Radyr  
Road: King's Road / Taff Terrace  
Section: U03060/010 / U3063/010  
Area: 2000m2  
Treatment: Micro Asphalt

# **New life for your roads - Carriageway Micro Asphalt Surface Treatment ADVICE NOTE**

## **What is happening?**

In the next few days, weather permitting, the road outside your home will be given a new surface. The treatment is called 'Micro Asphalt' and will improve the condition of your road for years to come.

## **Why is this being done?**

Although the road outside your property may appear fairly sound in sections, areas of cracking, potholes and deterioration are evident and if left untreated the condition will deteriorate further.

Micro Asphalt surfacing has been selected for your road because;

- It will seal the surface and restore skid resistance.
- It will keep the road surface in good condition and considerably extended the life of the road.
- It is fast and efficient and will minimise inconvenience to the public.
- It is sustainable as no material is removed from the road.
- Research shows that it is a very cost-effective treatment when applied at the correct time.

## **What does the work involve?**

Micro Asphalt is a cold-applied mix of bitumen binder and aggregate laid on the road surface by a specialist vehicle (see pictures overleaf). The steps of the process are:

- Signs will be erected by the contractor advising of the treatment date.
- The road is swept clean.
- Manholes, kerbs and drainage gully's etc. are covered with protective tape.
- The road is closed to traffic, although access will be maintained to residents where possible.
- The micro asphalt is applied; this may be in one or two coats depending on the roads existing condition.
- A one hour "setting" time is allowed.
- The road is reopened to traffic.
- The road is swept to remove any loose stone.
- Where required, within one week manholes will be adjusted to suit new levels.
- Within one week the white lines are re-laid.
- In two weeks the road will be re-swept to remove any loose stones.

## **Important Note:**

Your new Micro Asphalt surface will initially look uneven and unfinished, which is normal and happens because of the laying and necessary curing process. The appearance of the road will "settle down" over time as the curing process stabilises the material, this is helped by weathering and trafficking. The appearance of the surface will improve over the first few weeks with the final finished result expected in approximately three months.

## **How long will it take?**

In most cases the surface treatment will be completed within 1 to 2 days.

## **What should I do?**

We will do our best to ensure every care is taken and we would ask you to assist us in the following ways:

1. Please do not allow your children or pets to play around the machines or on the newly laid surface for 2 hours after completion.
2. Before entering your home or getting into your car ensure all shoes are free from bitumen or stones.
3. Please observe No Parking restrictions.

We apologise for any inconvenience caused and thank you for your co-operation in helping us carry out the necessary work.

# Bywyd newydd i'ch heolydd - Triniaeth Asffalt Mân i Arwyneb Ffyrdd NODYN CYNGOR

## Beth sy'n digwydd?

Dros y dyddiau nesaf, os bydd y tywydd yn caniatáu, bydd yr heol y tu allan i'ch tŷ chi yn cael arwyneb newydd. 'Asffalt Mân' yw'r enw ar y driniaeth, a bydd yn gwella cyflwr eich heol am flynyddoedd.

## Pam bod hyn yn cael ei wneud?

Er bod y ffordd y tu allan i'ch eiddo yn ymddangos yn eithaf sain mewn adrannau, mae meysydd cracio, tyllau a dirywiad yn amlwg ac os na chaiff ei drin, bydd yr amod yn dirywio ymhellach.

Rydyn ni wedi dewis Asffalt Mân oherwydd;

- Y bydd yn selio'r arwyneb ac yn gwella gallu'r heol i wrthsefyll sgidio.
- Y bydd yn cadw arwyneb yr heol mewn cyflwr da a hynny am gyfnod hir.
- Mae'n gyflym ac effeithlon ac felly ni fydd yn peri gormod o anghyfleustra.
- Mae'n gynaliadwy gan na fydd unrhyw beth yn cael ei symud o'r arwyneb presennol.
- Mae ymchwil yn dangos ei bod yn driniaeth gost effeithiol pan fo'n cael ei gwneud ar yr adeg gywir.

## Beth fydd yn digwydd yn ystod y gwaith?

Cyfuniad o agregad a bitwmen (i'w rwymo at ei gilydd) yw Asffalt Mân. Mae'n cael ei roi ar yr heol yn oer gan gerbyd arbennig (gweler y lluniau) Dyma wahanol gamau'r broses:

- Y contractwr yn gosod arwyddion gyda manylion am ddyddiadau'r driniaeth.
- Yr heol yn cael ei brwsio a'i glanhau.
- Tyllau archwilio, cyrbau, gyliau ac ati yn cael eu gorchuddio gyda thâp.
- Yr heol yn cael ei chau i drafnidiaeth, er y bydd preswylwyr yn gallu cael mynediad pan fydd hynny'n bosibl.
- Gosod y micro asffalt; un neu ddwy haen yn dibynnu ar gyflwr yr heol.
- Caniatáu awr i galedu.
- Ailagor yr heol i draffig.
- Brwsio'r heol i gael gwared ar unrhyw gerrig rhydd.
- Pan fydd angen, bydd tyllau archwilio yn cael eu haddasu ymhen wythnos i fod ar yr un lefel â'r arwyneb newydd.
- Ailbaentio llinell wen o fewn wythnos.
- Ail-frwsio'r stryd ymhen pythefnos i gael gwared ar unrhyw gerrig rhydd.

## Nodyn Pwysig:

Bydd ffyrdd sydd wedi cael eu trin ag asffalt mân yn edrych yn anwastad ac anorffenedig ar y dechrau. Mae hyn yn digwydd yn naturiol fel rhan o'r broses osod a chaledu angenrheidiol. Bydd ymddangosiad y ffordd yn setlo dros amser gan fod y broses galedu yn sefydlogi'r deunydd. Mae'r tywydd a'r traffig yn helpu hefyd. Bydd ymddangosiad yr arwyneb yn gwella dros yr ychydig wythnosau cyntaf a bydd yr arwyneb gorffenedig yn amlwg cyn pen tri mis.

## Pa mor hir fydd y broses yn cymryd?

Fel arfer bydd y driniaeth yn gyflawn o fewn diwrnod neu ddau.

## Beth ddylwn i ei wneud?

Gwnawn ein gorau i sicrhau ein bod yn ofalus iawn ond gofynnwn i chi helpu yn y ffyrdd canlynol:

1. Peidiwch â gadael i'ch plant neu anifeiliaid anwes chwarae ger y peiriannau neu'r arwyneb newydd yn ystod y 2 awr wedi i'r gwaith gael ei orffen.
2. Sicrhewch nad oes bitwmen neu gerrig ar eich esgidiau cyn i chi fynd i mewn i'r tŷ neu i'r car.
3. Parchwch y cyfyngiadau Parcio.

Ymddiheurwn am unrhyw anghyfleustra a diolch i chi am eich cydweithrediad wrth i ni wneud y gwaith angenrheidiol hwn.



Image 1: Micro asphalt application process



Image 2: Newly laid micro asphalt treatment



Image 3: Micro asphalt application process



Image 4: Completed micro asphalt treatment process



Image 5: Finished surface after 3 weeks




Image 6: Finished surface after 3 weeks